

GIGA X3c Flexibility in the top class





Benefits

- 4,3" touchscreen colour display
- Precision ceramic disc grinder with Automatic Grinder Adjustment (A.G.A.)
- Speed function thanks to additional hot water bypass
- 2 thermoblocks and 2 pumps
- Compatible with Payment Connect

Recommended accessories

- Glass Cup Warmer
- Cool Control 2.51
- Cool Control 11
- Wireless Transmitter for the Cool Control
- Lockable bean container
- Coffee grounds disposal/ drip drain set
- Coffee to Go furniture range
- Accessory set for milk systems HPX3
- Payment Connect
- Data Communicator

Areas of use

- Office floor solutions
- Seminar/conference facilities
- Breakfast room
- Catering
- Coffee to Go

Recommended maximum daily output 150 cups

The GIGA X3c allows JURA to impressively demonstrate Swiss innovation and professionalism down to the very last detail. Anywhere where a capacity of up to 150 cups is the order of business, the machine impresses users with its quality, functionality and reliability. Coupled with top performance in every respect, this results in a high-tech automatic coffee machine that is ideally tailored to the requirements of large offices, the breakfast, seminar and conference venue sectors as well as self-service areas.

The GIGA X3c features the new payment and management system Pocket Pilot 2.0. Pocket Pilot 2.0 allows both cashless payment and central machine monitoring without any additional infrastructure. This is made possible by Payment Connect, which is easy to install in the GIGA X3c. This web-based system is free and does not require any software to be installed. Once you have created an account for JURA Pocket Pilot 2.0, you have access to a comprehensive, user-friendly management system.



Г



GIGA X3c

Technical overview

Specific advantages	
Number of specialities	32
Speed function	
Automatic Grinder Adjustment (A.G.A.)	•
Active bean monitoring	•
Automatic switchover from milk to milk foam	•
Transmitter supplied as standard	Smart Connect
JURA coffee machine standards	
Pulse Extraction Process (P.E.P.®)	•
One-Touch function	
Variable brewing unit	5 – 16 g
Grinder	Electronically adjustable ceramic disc grinder
High-performance pump, 15 bar	2
Thermoblock heating system	2
Fluid systems	2
Milk system/interchangeable milk spout	HP3/CX2
Powder chute for ground coffee	
Aroma preservation cover	
Operating and programming standards Compatible with J.O.E.® Compatible with Payment Connect Rotary Switch	
Display	4,3" touchscreen colour display
Store, copy and personalise products	
Programmable and individually adjustable amount of water	-
Programmable and individually adjustable coffee strength	10 levels
Programmable amount of milk/milk foam	_
Programmable milk/milk foam temperature	10 levels
Programmable brewing temperature	3 levels
Programmable temperature of hot water	3 levels
Intelligent Pre-Brew Aroma System with optional deactivation	•
Generating code groups	
Resettable day counter	
Shows the number of preparations for each individual product	•

Husiana etandanda	
Hygiene standards	
CLARIS filter cartridge	JURA water filter system
One-Touch milk system cleaning (automatic)	
Integrated rinsing, cleaning	_
and descaling programme	_
Monitored drip tray	
JURA hygiene: TÜV-certified	
Energy standards	
Energy Save Mode (E.S.M.®)	_
Zero-Energy Switch or power switch	
Programmable switch-off time	
Programmable switch-on/switch-off time	
Design and materials	
Alu Frame Design® 3 mm	
Centre panel in Piano Black	
Amber/white cup illumination	
Maximum hourly output Number of cups per hour (as per DIN 18873-2)	
Espresso (1×/2×)	96/142
Coffee (1×/2×)	66/76
Cappuccino (1×/2×)	76/110
Hot water	104
In figures	
Height-adjustable dual spout	70 – 159 mm
Height-adjustable hot-water spout	69 – 165 mm
Bean container holding capacity	1kg
Coffee grounds container (servings)	max. 40
Cable length	ca. 1,1 m
Voltage/Power	220 – 240 V~ / 2700 W
Current	10A
Permanent water connection	G 3/4"
Stand-by power	< 0,5 W
Weight	19 kg
Dimensions (W×H×D)	32 × 55,5 × 49,7 cm
Article number/Product code	15571/GIGA X3c



Hygiene standards



Aluminium (EB)

