

Version: 2 / GB Replaces Version: 1 / Date revised: 04.10.2017 Print date: 04.10.17

GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

BRAVILOR BONAMAT RENEGITE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Washing and cleaning products (including solvent based products)

1.3. Details of the supplier of the safety data sheet

Address:

BRAVILOR BONAMAT B.V.

Pascalstraat 20

NL-1704 RD Heerhugowaard

Telephone no. +31 (0) 725751751 Fax no. +31 (0) 725751758

www.bravilor.com

E-mail address of person responsible for this SDS:

inkoop@bravilor.com

1.4. Emergency telephone number

GBK/ Infotrac: (USA domestic) 1 800 535 5053 or international +1 352 323 3500

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Skin Irrit. 2 H315 Eye Irrit. 2 H319 Aquatic Chronic 3 H412

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Warning

Hazard statements

H315 Causes skin irritation. H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.



Version: 2 / GB Replaces Version: 1 / Date revised: 04.10.2017 Print date: 04.10.17

GB

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

Dispose only when container is empty and closed. For disposal of product

%

residues, refer to Safety Data Sheet.

2.3. Other hazards

No special hazards have to be mentioned.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients

sulphamidic acid

CAS No. 5329-14-6 EINECS no. 226-218-8

Registration no. 01-2119488633-28

Concentration >= 50

Classification (Regulation (EC) No. 1272/2008)

Aquatic Chronic 3 H412 Eye Irrit. 2 H319 Skin Irrit. 2 H315

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated clothing immediately and dispose of safely. In any case show the physician the Safety Data Sheet.

After inhalation

Ensure supply of fresh air. When dust is intensively inhaled, seek medical help immediately.

After skin contact

Wash off immediately with soap and water. Take medical treatment.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Summon a doctor immediately.

After ingestion

If swallowed, seek medical advice immediately and show this container or label. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures

5.1. Extinguishing media



Version: 2 / GB Replaces Version: 1 / Date revised: 04.10.2017 Print date: 04.10.17

GB

Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

Non suitable extinguishing media

Compatible with all usual extinguishing media.

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus.

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Knock down dust with water spray jet.

6.3. Methods and material for containment and cleaning up

Pick up mechanically. Dispose of absorbed material in accordance with the regulations.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid the formation and deposition of dust. Keep container tightly closed.

7.2. Conditions for safe storage, including any incompatibilities

Recommended storage temperature

Value > 0 < 30 °C

Requirements for storage rooms and vessels

Keep in original packaging, tightly closed. Provide solvent-resistant and impermeable floor.

Storage class according to TRGS 510

Storage class according to 8B Non-combustible corrosive hazardous substances TRGS 510

7.3. Specific end use(s)

no data

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Other information

Contains no substances with occupational exposure limit values.

8.2. Exposure controls



Print date: 04.10.17 Replaces Version: 1/ Date revised: 04.10.2017 Version: 2/GB

GB

General protective and hygiene measures

Do not inhale dust/fumes/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

Respiratory protection

Use breathing apparatus in dust-laden atmosphere. Particle filter P2

Hand protection

Use

Chemical resistant gloves (EN 374)

Permanent hand contact Appropriate Material neoprene Material thickness 0.65 mm >= Breakthrough time 480 min

Appropriate Material nitrile

Material thickness 0.4 mm >= Breakthrough time 480 min

Appropriate Material butyl Material thickness >=

0,7 mm Breakthrough time 480 min Short-term hand contact Use

Appropriate Material nitrile

Material thickness 0,11 mm

Eye protection

Safety glasses with side protection shield (EN 166)

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form solid Colour white

characteristic Odour

Odour threshold

Remarks not determined

pH value

Value 1 Concentration/H2O 10 20 Temperature

Melting point

Remarks not determined

Freezing point

Remarks not determined

Initial boiling point and boiling range

Remarks not determined

Flash point

Remarks Not applicable

Evaporation rate (ether = 1):

Remarks not determined

Flammability (solid, gas)

evaluation not determined

Upper/lower flammability or explosive limits

Remarks not determined %

°C



Version: 2 / GB Replaces Version: 1 / Date revised: 04.10.2017 Print date: 04.10.17

GB

Vapour pressure

Remarks not determined

Vapour density

Remarks not determined

Density

Remarks not determined

Solubility in water

Remarks soluble

Solubility(ies)

Remarks not determined

Partition coefficient: n-octanol/water

Remarks not determined

Ignition temperature

Remarks not determined

Decomposition temperature

Remarks not determined

Viscosity

Remarks Not applicable

Explosive properties

evaluation not determined

Oxidising properties

evaluation None known

9.2. Other information

Bulk density

Value 1155 to 1205 kg/m³

Other information

None known

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

No hazardous reactions known.

Decomposition temperature

Remarks not determined

10.5. Incompatible materials

Reactions with alkalies.

10.6. Hazardous decomposition products

Irritant gases/vapours



Version: 2 / GB Replaces Version: 1 / Date revised: 04.10.2017 Print date: 04.10.17

GB

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity

Species rat

LD50 > 2000 mg/kg Method calculated value (Regulation (EC) No. 1272/2008)

Acute oral toxicity (Components)

sulphamidic acid

Species rat

LD50 3160 mg/kg

Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

Acute dermal toxicity (Components)

sulphamidic acid

Species rat

LD50 > 2000 mg/kg

Duration of exposure 24 h

Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.

Skin corrosion/irritation

evaluation irritant
Serious eye damage/irritation
evaluation irritant

Sensitization

Remarks Based on available data, the classification criteria are not met.

Subacute, subchronic, chronic toxicity

Remarks Based on available data, the classification criteria are not met.

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)

Remarks not determined

Aspiration hazard

No special hazards have to be mentioned.

Experience in practice

Inhalation of dusts may irritate the respiratory tract.

Other information

There is no data available on the product apart from the information given in this subsection.

SECTION 12: Ecological information

12.1. Toxicity

General information



Version: 2 / GB Replaces Version: 1 / Date revised: 04.10.2017 Print date: 04.10.17

GB

not determined

Fish toxicity (Components)

sulphamidic acid

Species Fathead minnow (Pimephales promelas) LC50 70,3 mg/l

Duration of exposure 96 h

Daphnia toxicity (Components)

sulphamidic acid

Species Daphnia magna

EC50 71,6 mg/l

Duration of exposure 48 h

Method OECD 202

Algae toxicity (Components)

sulphamidic acid

Species Scenedesmus subspicatus

ErC50 48 mg/l

Duration of exposure 72 h

Bacteria toxicity (Components)

sulphamidic acid

Species activated sludge

EC50 > 200 mg/l

Duration of exposure 3 h

12.2. Persistence and degradability

General information

not determined

12.3. Bioaccumulative potential

General information

not determined

Partition coefficient: n-octanol/water

Remarks not determined

12.4. Mobility in soil

General information

not determined

12.5. Results of PBT and vPvB assessment

General information

not determined

Evaluation of persistance and bioaccumulation potential

The product contains no PBT or vPvB substances.

12.6. Other adverse effects

General information

not determined

General information / ecology

Do not allow to enter soil, waterways or waste water canal.

SECTION 13: Disposal considerations



Version: 2 / GB Replaces Version: 1 / Date revised: 04.10.2017 Print date: 04.10.17

GB

13.1. Waste treatment methods

Disposal recommendations for the product

Allocation of a waste code number, according to the European Waste Catalogue (EWC), should be carried out in agreement with the regional waste disposal company.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number	2967	2967	2967
14.2. UN proper shipping name	SULPHAMIC ACID	SULPHAMIC ACID	SULPHAMIC ACID
14.3. Transport hazard class(es)	8	8	8
Label	8	8	8
14.4. Packing group	III	III	III
Limited Quantity	5 kg		
Transport category	3		
14.5. Environmental hazards		no	
Tunnel restriction code	E		
IMDG-Code segregation group		1 Acids	

Information for all modes of transport

14.6. Special precautions for user

See Sections 6 to 8

Other information

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code
Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

VOC

VOC (EU) 0

Other information

The product does not contain substances of very high concern (SVHC).

%



Version: 2 / GB Replaces Version: 1 / Date revised: 04.10.2017 Print date: 04.10.17

GB

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Hazard statements listed in Chapter 3

H315 Causes skin irritation. H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

CLP categories listed in Chapter 3

Aquatic Chronic 3 Hazardous to the aquatic environment, chronic, Category 3

Eye Irrit. 2 Eye irritation, Category 2 Skin Irrit. 2 Skin irritation, Category 2

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.